

EXTERIOR CMU WALL APPLICATION (2 HOUR RATING)




^{*} DensGlass is a registered trademark of Georgia Pacific Corporation. ™ The color BLUE is a trademark of The Dow Chemical Company

EXTERIOR STEEL STUD CAVITY WALL APPLICATION (1 HOUR RATING)




^{*} DensGlass is a registered trademark of Georgia Pacific Corporation. ™ The color BLUE is a trademark of The Dow Chemical Company

ICYNENE LD-C-50® OPEN CELL OR MD-C-200™ CLOSED CELL SPF WITHIN INTERIOR WALL CAVITY COMBINED WITH EXTRUDED POLYSTYRENE (XPS) RIGID BOARD SHEATHING ON EXTERIOR SIDE




^{*} DensGlass is a registered trademark of Georgia Pacific Corporation. ™ The color BLUE is a trademark of The Dow Chemical Company

ICYNENE LD-C-50° OPEN CELL OR MD-C-200™ CLOSED CELL SPF WITHIN INTERIOR WALL CAVITY COMBINED WITH POLYISO (ISO) RIGID BOARD SHEATHING ON EXTERIOR SIDE



^{*} DensGlass is a registered trademark of Georgia Pacific Corporation. ™ The color BLUE is a trademark of The Dow Chemical Company

ICYNENE LD-C-50® OPEN CELL OR MD-C-200™ CLOSED CELL SPF WITHIN INTERIOR WALL CAVITY COMBINED WITH EXPANDED POLYSTYRENE (EPS) RIGID BOARDS SHEATHING ON EXTERIOR SIDE



^{*} DensGlass is a registered trademark of Georgia Pacific Corporation. ™ The color BLUE is a trademark of The Dow Chemical Company